Sew piping




This tutorial should help you to sew piping correctly. I explain how I do it. Of course, it also works differently ;-). In this tutorial I sew PVC piping on faux leather.

For errors in this tutorial I assume no liability *lol*.

Here is the link to the PVC piping that I use:

https://www.ebay.de/itm/165383594647?hash=item2681a16297:g:p7QAAOSwvXhiHzFR

Copyright By SewingArtZ/Inh.: Edmana Meyerhoff https://www.facebook.com/manaMeyerhoff/ https://www.instagram.com/sewingartz https://www.sewingartz.de



1. First I clip the piping to the material.



2. Afterwards I sew on the piping with a zipper foot. To do this, I use a bobbin thread that has a different color than the back of the material.




3. In the curves I cut the piping so that it lays better.



4. Here you can see the colored bobbin thread from the sewn piping.



5. Then I place the second material right sides together on the piping and clip everything in place.



On picture 6 on the left you can see that the width of the sewing feet (6 mm) is exactly the distance to sew the materials together.

Copyright By SewingArtZ/Inh.: Edmana Meyerhoff https://www.facebook.com/manaMeyerhoff/ https://www.instagram.com/sewingartz https://www.sewingartz.de





7. Now I sew everything together.

8. Now I turn the materials over, the side where the bobbin thread can be seen is on top .



9. I then sew the seam of the bobbin thread again very precisely. So I know that the piping fits perfectly.

Copyright By SewingArtZ/Inh.: Edmana Meyerhoff https://www.facebook.com/manaMeyerhoff/ https://www.instagram.com/sewingartz https://www.sewingartz.de



10. Here you can see the final result and could check again if everything fits correctly ;-).



11. Your piping is ready.



Attention!

In the example shown here, there is a round bottom, to which I have sewn the piping! For this you need a piping neatening. Lay it right sides together on the material. The beginning of the piping is placed in the middle of the neatening and sewn on. The end of the piping is then flush with the beginning.

The piping overcasting is folded over the piping and sewn in place. Then shorten the serging (see pictures above).

Please remember that this is **my version** of sewing on a piping. Everyone does it the way he likes ;-).

In my experience, however, this is the best version.

Try it and who knows, maybe you will love to sew piping on your creations.

I wish you a lot of fun and look forward to your experiences.

Your Edmana from SewingArtZ